




IMPORTANT



Templates must be printed without size modifications and verified for dimensional accuracy.

- Before printing, select the printing options necessary to ensure that copies are produced without size adjustments.
- After printing, measure the dimensions indicated on the template to ensure correct scale.

TOP

SIX THRU-BOLT HOLES

9.5MM DIA.
BOTH SIDES

45MM

38MM

FOR
OTHER DOOR
THICKNESS
TEAR OFF AT
DOTTED LINE
AND PLACE ON
CENTER LINE
OF DOOR EDGE

WIRE
HOLE

19MM DIA.
BOTH SIDES

137MM

83.5MM

LEVER
HOLE

30MM DIA.
DRILL BOTH
SIDES

HORIZONTAL CENTER

19.5MM

CENTER LINE
OF LOCK CASE

60MM BACKSET

80MM

CYLINDER
HOLE

20MM WIDE
DRILL BOTH
SIDES

CYLINDER
HOLE

40MM HIGH
DRILL BOTH
SIDES

90MM

VERTICAL CENTER LINE OF BACKSET

VERTICAL CENTER LINE
OF DOOR EDGE



ALARM LOCK
SYSTEMS, INC.

DL3500EX SERIES DOOR TEMPLATE

BOTTOM

TOP

SIX THRU-BOLT HOLES

9.5MM DIA.
BOTH SIDES

45MM

38MM

FOR
OTHER DOOR
THICKNESS
TEAR OFF AT
DOTTED LINE
AND PLACE ON
CENTER LINE
OF DOOR EDGE

WIRE
HOLE

19MM DIA.
BOTH SIDES

137MM

83.5MM

LEVER
HOLE
30MM DIA.
DRILL BOTH
SIDES

HORIZONTAL CENTER

19.5MM

CENTER LINE
OF LOCK CASE

60MM BACKSET

VERTICAL CENTER LINE
OF DOOR EDGE


80MM

CYLINDER
HOLE
20MM WIDE
DRILL
BOTH SIDES

CYLINDER
HOLE
40MM HIGH
DRILL BOTH
SIDES

90MM

VERTICAL CENTER LINE OF BACKSET



ALARM LOCK
SYSTEMS, INC.

DL3500EX SERIES DOOR TEMPLATE

BOTTOM