





The All-in-One Smart Panel You Asked For "Installers Optional": Easiest Setup & On-Screen How-To Videos







D	Dwoduct / Dkm	Docarintion	Foatures		
Part #	Product / Pkg	Description	Features		
PKIT1A	Prima Resdy to American Land Control of the Control	Prima System in a Box: AT&T network, 3 window/doors & motion	Napco's New Prima: The Smarter All-in-One System, with revolutionary 5-Minute Install, for adding more RMR-Accounts per Day than ever possible—"Installers Optional". Ideal Do-it-with-Me solution or Ship and Self-Setup system w/ built-in onscreen step-by-step video tutorials. 2023 ESX & MVP Award-Winner Kit Includes: 7" Super Panel, 3 Window/Door Transmitters & PIR, with wall & tabletop brackets, mounting supplies & long-life batteries, supplied; Wi-Fi & AT&T cellular network 7" Super Panel for Security/Fire/Video & Automation, and featuring smart Self-Healing WiFi Video & Doorbells, that prevent truckrolls Teaming an all-new powerful backend with lower monthly interactive services costs. Management of interactive services, accounts and z-wave devices, are also easy using Prima's backend online or via App 7" 1024 x 600 Capacitive Touch Panel w/ 5MP camera, 2 stereo mics, 85db piezo sounder, LED status indicator, Wi-Fi Cellular, Rechargeable 3.7V Li-Poly Batt, Min. 24hr Backup. Live View Video/Audio; Weather Alerts, Voice-Assistant. Low-Profile 5.4" x 7.7 x 0.75" (HxWxD) Includes Wall mount and Desktop bracket. Matching Napco Prima App for intuitive use on Smart Devices Maximum Zones: Up to 128 security zones with Encryption Maximum Users: Up to 40. Master (1), Duress (1), Normal (38) Connected Home Connectivity Z-Wave Plus: Control Z-Wave Thermostats, Dimmers, Locks, Plugs and Garage Controllers, etc. System Compliant with UL 985, UL 1023, UL1637, SIA CP01, Z-Wave, FCC, CE Uses Full Line of Transmitters: Patented "Super-D" 3D Antenna, 433 MHz, Encrypted, Up to 820 feet, typ. Uses Self-Healing Video Wi-Fi Doorbell & Indoor/Outdoor Cameras w/ EZ Mount, avoids truckrolls, pat. pending, reconnects behind the scenes, even when customers network or passwords change. Uses Al & Human-detection to avoid unwarranted activation, too. HD w/ Night Vision. Solar Panel Option. Napco 2 year over-the-counter dealer exchange (no hassles/no RMA)		
PKIT1V	⊕ prima ⊕ ±	Prima System in a Box: Verizon network, 3 window/doors & motion	Napco's New Prima: The Smarter All-in-One System, with revolutionary 5-Minute Install, for adding more RMR-Accounts per Day than ever possible—"Installers Optional". Ideal Do-it-with-Me solution or Ship and Self-Setup system, Kit Includes: 7" Super Panel, 3 Window/Door Transmitters & PIR, with wall & tabletop brackets, mounting supplies & long-life batteries, supplied; Wi-Fi & AT&T cellular network, as above on Verizon Cell Network		
PKIT1DA	Drina Live from Live for Nowly 17 Live from Live for Nowly 17 Live	Prima System + Doorbell in a Box: AT&T, 3 window/doors motion, & HD Doorbell w/ Self-Healing Wi-Fi (Wired)	Napco's New Prima: The Smarter All-in-One System, with revolutionary 5-Minute Install, for adding more RMR-Accounts per Day than ever possible—"Installers Optional". Ideal Do-it-with-Me solution or Ship and Self-Setup system w/ built-in onscreen step-by-step video tutorials. 2023 ESX & MVP Award-Winner • Kit Includes: 7" Super Panel, HD Video Doorbell (self-healing cam Wi-Fi), 3ea Window/Door Transmitters & PIR, with wall & tabletop brackets, mounting supplies & long-life batteries, supplied; Wi-Fi & AT&T cellular network • 7" Super Panel for Security/Fire/Video & Automation, and featuring smart Self-Healing WiFi Video & Doorbells, that prevent truckrolls • Teaming an all-new powerful backend with lower monthly interactive services costs. Management of interactive services, accounts and z-wave devices, are also easy using Prima's backend online or via App • 7" 1024 x 600 Capacitive Touch Panel w/ 5MP camera, 2 stereo mics, 85db piezo sounder, LED status indicator, Wi-Fi Cellular, Rechargeable 3.7V Li-Poly Batt, Min. 24hr Backup. Live View Video/Audio; Weather Alerts, Voice-Assistant. Low-Profile 5.4" x 7.7 x 0.75" (HxWxD) Includes Wall mount and Desktop bracket. Matching Napco Prima App for intuitive use on Smart Devices • Maximum Zones: Up to 128 security zones with Encryption • Maximum Users: Up to 40. Master (1), Duress (1), Normal (38) • Connected Home Connectivity Z-Wave Plus: Control Z-Wave Thermostats, Dimmers, Locks, Plugs and Garage Controllers, etc. • System Compliant with UL 985, UL 1023, UL1637, SIA CP01, Z-Wave, FCC, CE • Uses Full Line of Transmitters: Patented "Super-D" 3D Antenna, 433 MHz, Encrypted, Up to 820 feet, typ. • Uses Self-Healing Video Wi-Fi Doorbell & Indoor/Outdoor Cameras w/ EZ Mount, avoids truckrolls, pat. pending, reconnects behind the scenes, even when customers network or passwords change. Uses Al & Human-detection to avoid unwarranted activation, too. HD w/ Night Vision. Solar Panel Option. • Napco 2 year over-the-counter dealer exchange (no hassles/no RMA)		
PKIT1DV	Deptition of the state of the s	Prima System + Doorbell in a Box: Verizon, 3 window/doors & motion, HD Doorbell w/ Self-Healing Wi-Fi (Wired)	Napco's New Prima: The Smarter All-in-One System, with revolutionary 5-Minute Install, for adding more RMR-Accounts per Day than ever possible—"Installers Optional". Ideal Do-it-with-Me solution or Ship and Self-Setup system w/ built-in onscreen step-by-step video tutorials. 2023 ESX & MVP Award-Winner • Kit Includes: 7" Super Panel, HD Video Doorbell (self-healing cam Wi-Fi), 3ea Window/Door Transmitters & PIR, with wall & tabletop brackets, mounting supplies & long-life batteries, supplied; Wi-Fi, as above but on Verizon cellular network		

Part #	Product / Pkg	Description	Features			
PP1A	Prima Prima Associated States of Control States	All-in-one 7" touchscreen Super panel (only), AT&T Network	7" Prima Super Panel (ONLY), for Security/Fire/Video & Automation, Wi-Fi & AT&T Cell Network (also as contained in kits on front cover) • Key Component of Napco's New Prima: The Smarter All-in-One System, with revolutionary 5-Minute Install, for adding more RMR-Accounts per Day than ever possible—"Installers Optional". Ideal Do-it-with-Me solution or Ship and Self-Setup system w/ built-in onscreen step-by-step video tutorials. 2023 ESX & MVP Award-Winner Teams an all-new powerful backend with lower monthly interactive services costs. Management of interactive services, accounts and z-wave devices, are also easy using Prima's backend online or via App • 7" 1024 x 600 Capacitive Touch Panel w/ 5MP camera, 2 stereo mics, 85db piezo sounder, LED status indicator, Wi-Fi Cellular, Rechargeable 3.7V Li-Poly Batt, Min. 24hr Backup. Live View Video/Audio; Weather Alerts, Voice-Assistant. Low-Profile 5.4" x 6.7 x 0.75" (HxWxD) Includes Wall mount and Desktop bracket. matching Napco Prima App for intuitive use on Smart Devices			
PP1V	Deutstig Moorting Brocket, Shorm. Rush With Hours Bookhet, den bededet. Prima Prima Prima Speaker & Speaker & Speaker & Buzzer	All-in-one 7" touchscreen Super panel (only), Verizon Network	7" Prima Super Panel (ONLY), for Security/Fire/Video & Automation, as above, but Wi-Fi & Verizon Cell Network (also contained in kits on front cover) • Key Component of Napco's New Prima: The Smarter All-in-One System, with revolutionary 5-Minute Install, for adding more RMR-Accounts per Day than ever possible—"Installers Optional". Ideal Do-it-with-Me solution or Ship & Self-Setup system w/ built-in onscreen step-by-step video tutorials. 2023 ESX & MVP Award-Winner Teams an all-new powerful backend with lower monthly interactive services costs. Management of interactive services, accounts and z-wave devices, are also easy using Prima's backend online or via App			
PBELL	Prima britain con a control of the c	HD Video Doorbell (Wired) with Self-Healing Wi-Fi	 HD Video Doorbell (Wired) w/Self-Healing Video Wi-Fi auto-corrects for customer Network Connectivity behind the scene, preventing service calls (as included in Prima Kits PKIT1DA or PKIT1DV) Al Human Detection & Superior False Alarm Immunity 2MP 1080p HD Video w/ IR Night Vision, 10-15FPS Pro Quality, One-Touch Easy-Add Live View Video/Audio on Panel & App w/ 2-Way Audio & Omnidirectional Mic Wi-Fi 802.11 a, b, g, n with 433MHz Dual Connect Supports 2.4GHz & 5GHz WiFi Networks IPX4 Weather Resistance, Dual Encryption WPA/P2 2-Wire, 10-30VAC; Inclds Bracket & Mounting Plate (Dims. 7.25 x 5 x 2.5" HWD) 			
PPIR	prima Wireless Pilk with Pet Immunity Pilings in the common of the commo	Wireless Motion Sensor w/ Pet Immunity	Range up to 32.8 ft. (10m) Low & High Sensitivity Modes; Pet Friendly Long Range up to 820' open air 1-Way Encryption, Complies UL 639,ULC S306 Long Battery Life, 5yrs, typ. Includes CR123A Lithium Battery 3V Self-Stick Tape &/or optional screws for mounting			
PWD	Orlma Window Window Waxco Window Window Window Po NANCO Window Window Window Po Nano Standy years (PED W NAPCO	Wireless Window/ Door Transmitter	 433MHz Window/Door Transmitter Easy-Alignment Markings Long Range up to 820' open air 1-Way Encryption Tamper Supervised Long Battery Life, 7yrs, typ. Includes 2ea CR2032 Lithium Coin Cell Battery Self-Stick Tape &/or optional screws for mounting 			
PRWD	Prima Washington Northern Control Northe	Recessed Window/ Door Transmitter	433MHz Wireless Transmitter Long Range up to 820' open air 1-Way Encryption Tamper Supervised Long Battery Life, 10yrs, typ. Includes CR2 3V Lithium Battery Compact 0.74"Dia., 2.75"Depth (use 3/4" spade drill bit)			
PWTEMP	Prima tynaro Wireless Flood Freeze Sensor Fines 1 Senior from 1977 Tuto What Senior from 1977 Tuto What Senior from 1977 Tuto What Senior from 1977 Tuto	Wireless Flood/ Freeze/Hi-Temp Sensor Wireless Flood/Freeze	 433MHz Transmitter helps prevents damage, detecting flood or freeze, at 95°or 41°F (35; 5°C) Long Range up to 295' open air IPX7 Weather Resistance 1-Way Encryption, Tamper Supervised Slim profile 2.48" x 0.68" Long Battery Life, 10yrs, typ. Includes CR2450 Lithium 3V Battery 			
PPANIC	Prima Fer Frima Allei One Connected Wearable Panic Wearable Panic SOS	Wristwatch-Style Panic Button (w/Clip & lariat options)	Watch-Styled 433MHz Wireless Panic w/ Optional Belt-clip Selectable Activation/Response Long Range up to 492' open air Long Battery Life, 7yrs, typ. IPX7 Weather Resistance 1-Way Encryption Includes Wristband, Belt-Clip & CR2032 Lithium Coin Cell Battery			

















Mor	e Accts/Day	Costs	Automation	Control	Video & Doorbell	Cellular	Home	& Alerts	
Part #	Product	/ Pkg	Description			Features			
PFOB	prima by weo limited the control of		Multibutton Keyfob w/ Ring	 433MHz Multifunction Keyfob for Arm Away, Arm Stay, Disarm & SOS Compact size 2.53 x 1.49 x 0.53" (HWD) Long Range up to 820' open air 1-Way Encryption & Tamper Supervised Long Battery Life, 7yrs, typ. IPX7 Weather Resistance; Complies UL 1023 Includes Keyring & CR2032 Lithium Coin Cell Battery 					
PGB	Prima hynaco Wireles Glass Break Senso Prima House House Wireles Glass Break Senso Wireles Glass		Wireless Glassbreak Transmitter Wireless Glassbreak	 433MHz Omnidirectional Acoustic Sensor Long Range up to 656' open air 1-Way Encryption Tamper Supervised Slim profile 2.55" x 0.65" Includes CR2477 Lithium 3V Battery Self-Stick Tape &/or optional screws for mounting 					
PSMK	Prima Wireless Smoke Detector For Prins Alti-Tote Connected Home & Security Systems WNAPCO	**	Wireless Smoke Detector Wireless Smoke Detector		er & 3 LED indicators under & Indicator				
PSMKCO	Prima Wireless Smoke/CO Det For Prima Alti-One Connected Home & Socurity Systems WNAPCO		Smoke & Carbon Monoxide Sensor Wireless Smoke/CO Detector	 433 MHz Long Range Powerful 85dB Sounde Tamper Supervised Self-Diagnostic Test & I Low Battery/Trouble Sc Silence & Alarm Test Br Low Power consumptic 	er & 3 LED indicators E.O.L. Signal for CO under & Indicator				
PCAM	Wireless Indoor/Outdoor Camera with Self-Healing Video Wi-Fi & EZ-Mount For Prima, All-In-One Connected From & Security Systems of NAPICO		Wireless Indoor/Outdoor Camera with Self-Healing Wi-FI & EZ-Mount Self-Healing Wi-FI & EZ-Mount Self-Healing WiFi	 Al Human Detection av 2MP HD. 16:9 w/ Night Super-strong, easy mag 1080P, H.264, HFOV 12 WPA-AES, WPA2-AES Et WiFi 2.4GHz, 802.11 a Weatherproof Rating If Type-C USB Rechargeal 	Fi Connectivity (pats. pendinologis unwarranted activation Vision Inetic aimable base 24°;Cameras w/PIR Motion Dicryption b/g/n, 1T1R; sub 433MHz 1756	etection	rvice-call-free		
PSOLAR	Prima Ordinas Grangs Ordinas Grangs Page 164 Ordinas Grangs Page 16		Solar Panel Power for Video Cameras Solar Panel Energy	 Uses Daylight Solar Ene 	D)	the integral battery whi	le the camera is in u		
PRETROFIT	Wireless Translator More From Allin One Connected From A Scorilly System of Mineral Scorilly System of Mineral Scorilly System of Mineral Scorilly System of Mineral State of Mi	(# 6 0)	Wireless Translator Module	 Translate 345Mhz Wire to 433 MHz (Encrypted Supports up to 64 Sen Up to 492' open air rai Easy 3-Button Activatic Low Current Draw Back Battery Backup – 24Hr. 	sors & 2 Wired Sensors, max nge	oneywell® Unencrypted 000mAh) , min. (powered)	d Sensors for use in	Prima System,	
PHW8RETRO	ø prin	11a	8-Zone Hardwired Takeover Module	• Converts up to 8 wired • Status LED through hou • 6 x 3.5 x 1.5" (HWD) • Input Power: 12. 5- 75\ • Zone Loop: Current 3.7 • PGM output (for use in • Note: Use 2.2K eol resi	/DC, 60mA mA, nom.; 5.5mA, shorted Burg. Applications, only) 5m,	ess zones A, 12V			



The All-in-One Smart Panel You Asked For **Connected Home & Security System**



Part #	Product / Pkg	Description	Features Features
PSIREN		Wireless In/Outdoor Siren-Strobe	 Powerful 85dB Sounder & Strong LED Strobe Visual Alarm indicator Add more audio/visual alarm indication throughout premises Plug into AC or opt. batt operation (wall-mount)(Low-battery audible warning) Supports Siren, Temporal Fire and CO alarm audible cadences Operable from 110VAC w/ battbackup or battsonly (4 C-size batts.), 2.5 – 3yrs.typ. Indoor or outdoor operation Optional Tamper magnet-activated switch Compact 3.5 x 6.75 x 2.38'(HWD) Plug-in AC: 20 VAC, 60Hz Low Current draw 70mA (Maximum), 70uA (standby)
PWBELL	COMING SOON!	HD Video Wireless Doorbell with Self-Healing Wi-Fi	 HD Video Doorbell Wireless w/Self-Healing Video WI-FI auto-corrects for customer Network Connectivity behind the scene, preventing service calls Al Human Detection & Superior False Alarm Immunity Up to 1536P, H.264 10-15FPS w/ IR Night Vision , 10-15FPS Pro Quality, One-Touch Easy-Add (Dims. 5.4 x 1.8 x 1" HWD) Live View Video/Audio on Panel & App w/ 2-Way Audio & Omnidirectional Mic WI-FI 802.11 a, b, g, n with 433MHz Dual Connect; Supports 2.4GHz WiFi Networks IP54 Weather Resistance, Dual Encryption WPA-AES/P2 Inclds Bracket, Mounting Plate & Battery, Type-C USB, Rechargeable 6400mAh Battery (charging 5V2 A Type-C USB, DC) Optional Chime Add-On (#PCHIME)



Prima Plans (Activated on

- PRIMA-SVC-AI Interactive Money-Saving Service Plan for WiFi & Cellular Comm., Real-Time Notifications, Security & Status via Push, Text or Email. Full Z-Wave Device support., garage door, T-Stat, locks, etc.
- NapcoComnet.com) PRIMA-SVC-VID Video Services Plan, includes always-on, self-healing Wi-Fi cam connectivity & 30 days cloud-based storage, for up to 2 cameras
 - PRIMA-SVC-XCAM Extra Cameras Video Plan, as above for added cameras







